



PETER COCKS POCKET GUIDE

Effective 1 April 2024



MAINS PRESSURE

SKU	PRODUCT DESCRIPTION	STATUS
Mains Pressure Stainless Steel Cylinders STOCK or MADE TO ORDER MODELS		
4548STD	PC MPSS 45L 485×530H 2kW RUN-OUT*	MTO
4548STD3	PC MPSS 45L 485×530H 3kW RUN-OUT*	MTO
13549STD13	PC MPSS 135L 490x1350H 2kW Screw in Element	MTS
13548STD3	PC MPSS 135L 485×1365H 3kW RUN-OUT*	MTS
13549STD15	PC MPSS 135L 490x1350H 3kW Screw in Element**	MTS
13556STD13	PC MPSS 135L 560x1010H 2kW Screw in Element	MTS
13556STD15	PC MPSS 135L 560x1010H 3kW Screw in Element	MTS
18049STD13	PC MPSS 180L 490x1760H 2kW Screw in Element	MTS
18049STD15	PC MPSS 180L 490x1760H 3kW Screw in Element	MTS
18056STD	PC MPSS 180L 560×1295H 2kW RUN-OUT*	MTS
18056STD13	PC MPSS 180L 560x1295H 2kW Screw in Element**	MTS
18056STD15	PC MPSS 180L 560x1295H 3kW Screw in Element	MTS
25056STD15	PC MPSS 250L 560x1730H 3kW Screw in Element	MTS
30056STD15	PC MPSS 300L 560x2045H 3kW Screw in Element	MTS
18048SDB	PC MPSS 180L 485×1765H 2kW Direct Solar RUN-OUT*	MTO
18049SD13	PC MPSS 180L 490x1760H 2kW Direct Solar Screw in Element**	MTO
18048SDB3	PC MPSS 180L 485×1765H 3kW Direct Solar RUN-OUT*	MTS
18049SD15	PC MPSS 180L 490x1760H 3kW Direct Solar Screw in Element**	MTS
18056SDB	PC MPSS 180L 560×1295H 2kW Direct Solar RUN-OUT*	MTS
18056SD13	PC MPSS 180L 560x1295H 2kW Direct Solar Screw in Element**	MTS
18056SDB3	PC MPSS 180L 560×1295H 3kW Direct Solar RUN-OUT*	MTS
18056SD15	PC MPSS 180L 560x1295H 3kW Direct Solar Screw in Element**	MTS
20056SD15	PC MPSS 200L 560x1425H 3kW Direct Solar Screw in Element	MTS
25056SDB15	PC MPSS 250L 560x1730H 3kW Direct Solar Screw in Element	MTS
30056SDB15	PC MPSS 300L 560x2045H 3kW Direct Solar Screw in Element	MTS
18049SD13	PC MPSS 180L 490x1760H 2kW Direct Solar Screw in Element**	MTO
18048SDB3	PC MPSS 180L 485×1765H 3kW Direct Solar RUN-OUT*	MTS
18049SD15	PC MPSS 180L 490x1760H 3kW Direct Solar Screw in Element**	MTS
18056SDB	PC MPSS 180L 560×1295H 2kW Direct Solar RUN-OUT*	MTS
18056SD13	PC MPSS 180L 560x1295H 2kW Direct Solar Screw in Element**	MTS

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION	STATUS
Mains Pressure Stainless Steel Cylinders STOCK or MADE TO ORDER MODELS (continued)		
18056SDB3	PC MPSS 180L 560×1295H 3kW Direct Solar RUN-OUT*	MTS
18056SD15	PC MPSS 180L 560x1295H 3kW Direct Solar Screw in Element**	MTS
200SDB	PC MPSS 200L 560×1450H 3kW Direct Solar RUN-OUT*	MTS
20056SD15	PC MPSS 200L 560x1425H 3kW Direct Solar Screw in Element**	MTS
250SDB	PC MPSS 250L 560×1725H 3kW Direct Solar RUN-OUT*	MTS
25056SDB15	PC MPSS 250L 560x1730H 3kW Direct Solar Screw in Element**	MTS
300SDB	PC MPSS 300L 560×2045H 3kW Direct Solar RUN-OUT*	MTS
30056SDB15	PC MPSS 300L 560x2045H 3kW Direct Solar Screw in Element**	MTS
250SDB	PC MPSS 250L 560×1725H 3kW Direct Solar RUN-OUT*	MTS
25056SDB15	PC MPSS 250L 560x1730H 3kW Direct Solar Screw in Element**	MTS
300SDB	PC MPSS 300L 560×2045H 3kW Direct Solar RUN-OUT*	MTS
30056SDB15	PC MPSS 300L 560x2045H 3kW Direct Solar Screw in Element**	MTS

*Please contact Customer Services for stock availability **Replacement models for run-out products

Mains Pressure Stainless Steel Coil - STANDARD or MADE TO ORDER Models		
25056SCB15	PC MPSS 250L 560×1745H 3kW Low Coil (Solar)^	MTS
25056SCBR15	PC MPSS 250L 560×1745H 3kW RH Low Coil (Solar)^	MTS
30056SCB15	PC MPSS 300L 560×2065H 3kW Low Coil (Solar)^	MTS
300SCBR	PC MPSS 300L 560x2045H 3kW RH Low Coil (Solar)^ RUN-OUT*	MTS
30056SCBR15	PC MPSS 300L 560×2065H 3kW RH Low Coil (Solar)^	MTS
25056STB15	PC MPSS 250L 560×1745H 3kW Mid Coil (Wetback)	MTS
25056STBR15	PC MPSS 250L 560×1745H 3kW RH Mid Coil (Wetback)	MTS
250STCB	PC MPSS 250L 560×1725H 3kW Twin Coil (Wetback and Solar)	MTS
30056STB15	PC MPSS 300L 560×2065H 3kW Mid Coil (Wetback)	MTS
300STBR	PC MPSS 300L 560x2045H 3kW RH Mid Coil (Wetback) RUN-OUT*	MTS
30056STBR15	PC MPSS 300L 560×2065H 3kW RH Mid Coil (Wetback)	MTS
300STCB	PC MPSS 300L 560×2045H 3kW Twin Coil (Wetback and Solar)	MTS

*Not suitable for wetback installations

SKU	PRODUCT DESCRIPTION	STATUS
Mains Pressure Stainless Steel - CUSTOM Models		
13543CUS	PC Custom MP 135L 430×1820H 3kW	CUST
13554CUS	PC Custom MP 135L 540×1045H 3kW	CUST
13556CUS	PC Custom MP 135L 560×1010H 3kW	CUST
15067CUS	PC Custom MP 150L 670×800H 3kW	CUST
18048CUS	PC Custom MP 180L 485×1780H 3kW	CUST
18054CUS	PC Custom MP 180L 540×1370H 3kW	CUST
18056CUS	PC Custom MP 180L 560×1295H 3kW	CUST
18057CUS	PC Custom MP 180L 575×1185H 3kW	CUST
18067CUS	PC Custom MP 180L 670×910H 3kW	CUST
20048CUS	PC Custom MP 200L 485×1960H 3kW	CUST
20056CUS	PC Custom MP 200L 560×1450H 3kW	CUST
20067CUS	PC Custom MP 200L 670×990H 3kW	CUST
25054CUS	PC Custom MP 250L 540×1820H 3kW	CUST
25056CUS	PC Custom MP 250L 560×1725H 3kW	CUST
25057CUS	PC Custom MP 250L 575×1585H 3kW	CUST
25067CUS	PC Custom MP 250L 670×1200H 3kW	CUST
25069CUS	PC Custom MP 250L 690×1100H 3kW	CUST
28054CUS	PC Custom MP 280L 540×2020H 3kW	CUST
28056CUS	PC Custom MP 280L 560×1900H 3kW	CUST
28067CUS	PC Custom MP 280L 670×1325H 3kW	CUST
30056CUS	PC Custom MP 300L 560×2045H 3kW	CUST
30057CUS	PC Custom MP 300L 575×1870H 3kW	CUST
30067CUS	PC Custom MP 300L 670×1410H 3kW	CUST
30069CUS	PC Custom MP 300L 690×1275H 3kW	CUST
33057CUS	PC Custom MP 330L 575×2020H 3kW	CUST
35067CUS	PC Custom MP 350L 670×1630H 3kW	CUST
35069CUS	PC Custom MP 350L 690×1455H 3kW	CUST
40067CUS	PC Custom MP 400L 670×1830H 3kW	CUST
40069CUS	PC Custom MP 400L 690×1625H 3kW	CUST

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION	STATUS
Mains Pressure Stainless Steel - CUSTOM Models (continued)		
45069CUS	PC Custom MP 450L 690×1820H 3kW	CUST
50080CUS	PC Custom MP 500L 800x1600H 3kW	CUST
60080CUS	PC Custom MP 600L 800x1870H 3kW	CUST
Full range of customised cylinders are available between 45 – 600Litres. If the required size/model is not found in this booklet, please contact a Peter Cocks Sales Representative for a quote.		

Mains Pressure Stainless Steel - CUSTOM Extra's		
417003	PC 25mm Coil Stainless Steel (6m Long)	
417001	PC 25mm Coil Stainless Steel (12m Long)	
417002	PC 25mm Coil Stainless Steel (18m Long)	
417007	PC 25mm Extra Coil S/Steel (6m Long)	
417005	PC 25mm Extra Coil S/Steel (12m Long)	
417006	PC 25mm Extra Coil S/Steel (18m Long)	
417031	PC 25mm Coil S/Steel 670+ Diam (6m Long)	
417032	PC 25mm Coil S/Steel 670+ Diam (12m Long)	
417033	PC 25mm Coil S/Steel 670+ Diam (18m Long)	
417023	PC Custom Booster Element Titanium (Factory fitted)	
417034	PC Booster Element Titanium 3kW & Thermostat Stainless Steel (SDB, STB, SCB and STCB models)	
320242	PC Element Titanium Screw-in 2kW	
320243	PC Element Titanium Screw-in LWD 2kW	
320244	PC Element Titanium Screw-in 3kW	
320245	PC Element Titanium Screw-in LWD 3kW	
417014	PC Extra 20mm Stainless Steel Connection	
417015	PC Extra 25mm Stainless Steel Connection	
417016	PC Extra 32mm Stainless Steel Connection	
417017	PC Extra 40mm Stainless Steel Connection	
417018	PC Extra 50mm Stainless Steel Connection	
417024	PC Solar Set 2 x Probe Pockets and 2 x Connections Stainless Steel	
411025	PC Probe Pocket Stainless Steel	

SKU	PRODUCT DESCRIPTION	STATUS
Copper CUSTOM Extra's		
417009	PC 25mm Fitted Copper Coil (5m Long)	
417008	PC 25mm Fitted Copper Coil (10m Long)	
417000	PC 20mm Fitted Copper Coil (15m Long)	
417021	PC Jumbo 20mm Copper Coil Fitted (45m Long)	
417022	PC Jumbo 20mm Copper Coil Fitted (65m Long)	
411000	Custom Booster Unit + Element 3kW & Thermostat (Copper)	
417013	PC Extra 20mm Copper Connection	
411034	PC Thermopocket for Solar (Copper only)	
417025	PC Solar Set 2 x Probe Pockets and 2 x Connections	

LOW PRESSURE

Low Pressure Stainless Steel - MADE TO ORDER MODELS

LP13548STD	PC LP SS 135L 485×1365H 2kW Triple	MTO
LP13548STD3	PC LP SS 135L 485×1365H 3kW Triple	MTO
LP13554STD	PC LP SS 135L 540×1045H 2kW Triple	MTO
LP13556STD	PC LP SS 135L 560×1010H 2kW Triple	MTO
LP13556STD3	PC LP SS 135L 560×1010H 3kW Triple	MTO
LP18048STD	PC LP SS 180L 485×1780H 2kW Triple	MTO
LP18054STD	PC LP SS 180L 540×1360H 2kW Triple	MTO
LP18056STD	PC LP SS 180L 560×1295H 2kW Triple RUN-OUT*	MTO
LP18056STD13	PC LP SS 180L 560×1300H 2kW Triple**	MTS
LP18056STD15	PC LP SS 180L 560×1300H 3kW Triple	MTS

*Please contact Customer Services for stock availability **Replacement models for run-out products

Low Pressure Stainless Steel Wetback - MADE TO ORDER MODELS

LP13548DSP	PC LP SS Dual 135L 485×1395H 2kW BTM Wetback	MTO
LP13556DSP	PC LP SS Dual 135L 560×1020H 2kW BTM Wetback	MTO
LP13556DSPL	PC LP SS Dual 135L 560×1020H 2kW LH Wetback	MTO

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION	STATUS
Low Pressure Stainless Steel Wetback - MADE TO ORDER MODELS (continued)		
LP13556DSPR	PC LP SS Dual 135L 560×1020H 2kW RH Wetback	MTO
LP18048DSP	PC LP SS Dual 180L 485×1780H 2kW BTM Wetback	MTO
LP18048DSPL	PC LP SS Dual 180L 485×1780H 2kW LH Wetback	MTO
LP18048DSPR	PC LP SS Dual 180L 485×1780H 2kW RH Wetback	MTO
LP18054DSP	PC LP SS Dual 180L 540×1370H 2kW BTM Wetback	MTO
LP18054DSPL	PC LP SS Dual 180L 540×1370H 2kW LH Wetback	MTO
LP18054DSPR	PC LP SS Dual 180L 540×1370H 2kW RH Wetback	MTO
LP18056DSP	PC LP SS Dual 180L 560×1295H 2kW BTM Wetback	MTO
LP18056DSPL	PC LP SS Dual 180L 560×1295H 2kW LH Wetback	MTO
LP18056DSPR	PC LP SS Dual 180L 560×1295H 2kW RH Wetback	MTO
Low Pressure Copper - STANDARD & MADE TO ORDER MODELS		
13US	PC LP 13L 350×360H 2kW Underbench	MTS
22US	PC LP 22L 350×500H 2kW Underbench	MTS
40US	PC LP 40L 460×500H 2kW Underbench	MTS
4546ESP	PC LP 45L 460×560H 2kW Triple	MTS
6546ESP	PC LP 65L 460×750H 2kW Triple	MTO
9046ESP	PC LP 90L 460×1000H 2kW Triple	MTS
9051ESP	PC LP 90L 510×785H 2kW Triple	MTO
9054ESP	PC LP 90L 540×730H 2kW Triple	MTS
11046ESP	PC LP 110L 460×1200H 2kW Triple	MTO
11051ESP	PC LP 110L 510×950H 2kW Triple	MTO
11054ESP	PC LP 110L 540×900H 2kW Triple	MTO
12043ESP	PC LP 120L 430×1425H 2kW Triple	MTO
12051ESP	PC LP 120L 510×1000H 2kW Triple	MTO
135415ESP	PC LP 135L 415×1810H 2kW Triple	MTO
13546ESP	PC LP 135L 460×1470H 2kW Triple	MTS
13548ESP	PC LP 135L 485×1310H 2kW Triple	MTS

SKU	PRODUCT DESCRIPTION	STATUS
Low Pressure Copper - STANDARD & MADE TO ORDER MODELS (continued)		
13551ESP	PC LP 135L 510×1140H 2kW Triple	MTS
13554ESP	PC LP 135L 540×1045H 2kW Triple	MTS
13556ESP	PC LP 135L 560×950H 2kW Triple	MTS
13561ESP	PC LP 135L 610×820H 2kW Triple	MTO
15551ESP	PC LP 155L 510×1300H 2kW Triple	MTO
17556ESP	PC LP 175L 560×1224H 2kW Triple	MTO
18047ESP	PC LP 180L 470×1900H 2kW Triple	MTS
18049ESP	PC LP 180L 490×1670H 2kW Triple	MTS
18051ESP	PC LP 180L 510×1520H 2kW Triple	MTS
18054-1ESP	PC LP 180L 540×1360H 2kW Triple	MTS
18054-1ESP3	PC LP 180L 540×1360H 3kW Triple	MTO
18056ESP	PC LP 180L 560×1270H 2kW Triple	MTS
18061ESP	PC LP 180L 610×1030H 2kW Triple	MTS
20056ESP	PC LP 200L 560×1450H 3kW Triple	MTO
22551ESP	PC LP 225L 510×1900H 3kW Triple	MTO
22554ESP	PC LP 225L 540×1650H 3kW Triple	MTS
22556ESP	PC LP 225L 560×1550H 3kW Triple	MTS
22561ESP	PC LP 225L 610×1260H 3kW Triple	MTO
25056ESP	PC LP 250L 560×1720H 3kW Triple	MTO
27054ESP	PC LP 270L 540×1980H 3kW Triple	MTS
27056ESP	PC LP 270L 560×1800H 3kW Triple	MTS
Low Pressure Stainless Steel - Tank Attached - MADE TO ORDER MODELS		
11051CM	PC LP 110L 510×1310H 2kW Tank Attached	MTO
13554CM	PC LP 135L 540×1400H 2kW Tank Attached	MTO
13556CM	PC LP 135L 560×1320H 2kW Tank Attached	MTO
18056CM	PC LP 180L 560×1630H 2kW Tank Attached	MTO
18061CM	PC LP 180L 610×1385H 2kW Tank Attached	MTO

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION	STATUS
Cistern Tanks (all complete with external supply) - MADE TO ORDER MODELS		
PCCMS	PC Cistern Tank 30L 460 × 260 Small	MTO
PCCMM	PC Cistern Tank 45L 460 × 360 Medium	MTO
PCCML	PC Cistern Tank 75L 560 × 360 Large	MTO
Low Pressure Copper Wetback - STANDARD & MADE TO ORDER MODELS		
4546DSP	PC LP Dual 45L 460×560H 2kW BTM Wetback	MTO
4546DSPL	PC LP Dual 45L 460×560H 2kW LH Wetback	MTO
4546DSPR	PC LP Dual 45L 460×560H 2kW RH Wetback	MTO
6546DSP	PC LP Dual 65L 460×750H 2kW BTM Wetback	MTO
6546DSPL	PC LP Dual 65L 460×750H 2kW LH Wetback	MTO
6546DSPR	PC LP Dual 65L 460×750H 2kW RH Wetback	MTO
9046DSP	PC LP Dual 90L 460×1000H 2kW BTM Wetback	MTO
9046DSPL	PC LP Dual 90L 460×1000H 2kW LH Wetback	MTO
9046DSPR	PC LP Dual 90L 460×1000H 2kW RH Wetback	MTO
9054DSP	PC LP Dual 90L 540×730H 2kW BTM Wetback	MTO
9054DSPL	PC LP Dual 90L 540×730H 2kW LH Wetback	MTO
9054DSPR	PC LP Dual 90L 540×730H 2kW RH Wetback	MTO
11046DSP	PC LP Dual 110L 460×1200H 2kW BTM Wetback	MTO
11046DSPL	PC LP Dual 110L 460×1200H 2kW LH Wetback	MTO
11046DSPR	PC LP Dual 110L 460×1200H 2kW RH Wetback	MTO
12051DSP	PC LP Dual 120L 510×1000H 2kW BTM Wetback	MTO
12051DSPL	PC LP Dual 120L 510×1000H 2kW LH Wetback	MTO
12051DSPR	PC LP Dual 120L 510×1000H 2kW RH Wetback	MTO
13546DSP	PC LP Dual 135L 460×1470H 2kW BTM Wetback	MTO
13546DSPL	PC LP Dual 135L 460×1470H 2kW LH Wetback	MTO
13546DSPR	PC LP Dual 135L 460×1470H 2kW RH Wetback	MTO
13548DSP	PC LP Dual 135L 480×1310H 2kW BTM Wetback	MTO
13548DSPL	PC LP Dual 135L 480×1310H 2kW LH Wetback	MTO
13548DSPR	PC LP Dual 135L 480×1310H 2kW RH Wetback	MTO
13551DSP	PC LP Dual 135L 510×1140H 2kW BTM Wetback	MTO

SKU	PRODUCT DESCRIPTION	STATUS
Low Pressure Copper Wetback - STANDARD & MADE TO ORDER MODELS (continued)		
13551DSPL	PC LP Dual 135L 510×1140H 2kW LH Wetback	MTO
13551DSPR	PC LP Dual 135L 510×1140H 2kW RH Wetback	MTO
13554DSP	PC LP Dual 135L 540×1045H 2kW BTM Wetback	MTO
13554DSPL	PC LP Dual 135L 540×1045H 2kW LH Wetback	MTO
13554DSPR	PC LP Dual 135L 540×1045H 2kW RH Wetback	MTO
13556DSP	PC LP Dual 135L 560×950H 2kW BTM Wetback	MTO
13556DSPL	PC LP Dual 135L 560×950H 2kW LH Wetback	MTO
13556DSPR	PC LP Dual 135L 560×950H 2kW RH Wetback	MTO
13561DSP	PC LP Dual 135L 610×820H 2kW BTM Wetback	MTO
13561DSPL	PC LP Dual 135L 610×820H 2kW LH Wetback	MTO
13561DSPR	PC LP Dual 135L 610×820H 2kW RH Wetback	MTO
15551DSP	PC LP Dual 155L 510×1300H 2kW BTM Wetback	MTO
15551DSPL	PC LP Dual 155L 510×1300H 2kW LH Wetback	MTO
15551DSPR	PC LP Dual 155L 510×1300H 2kW RH Wetback	MTO
17556DSP	PC LP Dual 175L 560×1224H 2kW BTM Wetback	MTO
17556DSPL	PC LP Dual 175L 560×1224H 2kW LH Wetback	MTO
17556DSPR	PC LP Dual 175L 560×1224H 2kW RH Wetback	MTO
18047DSP	PC LP Dual 180L 470×1900H 2kW BTM Wetback	MTO
18047DSPL	PC LP Dual 180L 470×1900H 2kW LH Wetback	MTO
18047DSPR	PC LP Dual 180L 470×1900H 2kW RH Wetback	MTO
18049DSP	PC LP Dual 180L 490×1670H 2kW BTM Wetback	MTO
18049DSPL	PC LP Dual 180L 490×1670H 2kW LH Wetback	MTO
18049DSPR	PC LP Dual 180L 490×1670H 2kW RH Wetback	MTO
18051DSP	PC LP Dual 180L 510×1520H 2kW BTM Wetback	MTS
18051DSPL	PC LP Dual 180L 510×1520H 2kW LH Wetback	MTO
18051DSPR	PC LP Dual 180L 510×1520H 2kW RH Wetback	MTO
18054DSP	PC LP Dual 180L 540×1360H 2kW BTM Wetback	MTS
18054DSPL	PC LP Dual 180L 540×1360H 2kW LH Wetback	MTS

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION	STATUS
Low Pressure Copper Wetback - STANDARD & MADE TO ORDER MODELS (continued)		
18054DSPR	PC LP Dual 180L 540×1360H 2kW RH Wetback	MTS
18056DSP	PC LP Dual 180L 560×1270H 2kW BTM Wetback	MTS
18056DSPL	PC LP Dual 180L 560×1270H 2kW LH Wetback	MTS
18056DSPR	PC LP Dual 180L 560×1270H 2kW RH Wetback	MTS
18061DSP	PC LP Dual 180L 610×1030H 2kW BTM Wetback	MTO
18061DSPL	PC LP Dual 180L 610×1030H 2kW LH Wetback	MTO
18061DSPR	PC LP Dual 180L 610×1030H 2kW RH Wetback	MTO
22554DSP	PC LP Dual 225L 540×1650H 3kW BTM Wetback	MTO
22554DSPL	PC LP Dual 225L 540×1650H 3kW LH Wetback	MTO
22554DSPR	PC LP Dual 225L 540×1650H 3kW RH Wetback	MTO
22556DSP	PC LP Dual 225L 560×1550H 3kW BTM Wetback	MTS
22556DSPL	PC LP Dual 225L 560×1550H 3kW LH Wetback	MTO
22556DSPR	PC LP Dual 225L 560×1550H 3kW RH Wetback	MTO
22561DSP	PC LP Dual 225L 610×1260H 3kW BTM Wetback	MTO
22561DSPL	PC LP Dual 225L 610×1260H 3kW LH Wetback	MTO
22561DSPR	PC LP Dual 225L 610×1260H 3kW RH Wetback	MTO
27054DSP	PC LP Dual 270L 540×1980H 3kW BTM Wetback	MTO
27054DSPL	PC LP Dual 270L 540×1980H 3kW LH Wetback	MTO
27054DSPR	PC LP Dual 270L 540×1980H 3kW RH Wetback	MTO
27056DSP	PC LP Dual 270L 560×1800H 3kW BTM Wetback	MTS
27056DSPL	PC LP Dual 270L 560×1800H 3kW LH Wetback	MTO
27056DSPR	PC LP Dual 270L 560×1800H 3kW RH Wetback	MTO
27061DSP	PC LP Dual 270L 610×1490H 3kW BTM Wetback	MTS
27061DSPL	PC LP Dual 270L 610×1490H 3kW LH Wetback	MTO
27061DSPR	PC LP Dual 270L 610×1490H 3kW RH Wetback	MTO
27070DSP	PC LP Dual 270L 700×1100H 3kW BTM Wetback	MTO
27070DSPL	PC LP Dual 270L 700×1100H 3kW LH Wetback	MTO

SKU	PRODUCT DESCRIPTION	STATUS
Low Pressure Copper Wetback - STANDARD & MADE TO ORDER MODELS (continued)		
27070DSPR	PC LP Dual 270L 700×1100H 3kW RH Wetback	MTO
36061DSP	PC LP Dual 360L 610×1900H 3kW BTM Wetback	MTO
36061DSPL	PC LP Dual 360L 610×1900H 3kW LH Wetback	MTO
36061DSPR	PC LP Dual 360L 610×1900H 3kW RH Wetback	MTO
36070DSP	PC LP Dual 360L 700×1490H 3kW BTM Wetback	MTO
36070DSPL	PC LP Dual 360L 700×1490H 3kW LH Wetback	MTO
36070DSPR	PC LP Dual 360L 700×1490H 3kW RH Wetback	MTO
Jumbo Low Pressure Copper (Low Pressure Tank with Mains Pressure Coil) - MADE TO ORDER MODELS		
18054HP	PC Jumbo 180L 540×1360H Wetback MP Coil (20mm X 45m)	MTO
18056HP	PC Jumbo 180L 560×1295H Wetback MP Coil (20mm X 45m)	MTO
27056HP	PC Jumbo 270L 560×1800H Wetback MP Coil (20mm X 65m)	MTO
27061HP	PC Jumbo 270L 610×1490H Wetback MP Coil (20mm X 65m)	MTO
Medium Pressure Copper - MADE TO ORDER MODELS		
13UMPW	PC Medium Pressure 13L 350×360H 2kW Underbench	MTO
22UMPW	PC Medium Pressure 22L 350×500H 2kW Underbench	MTO
40UMPW	PC Medium Pressure 40L 460×500H 2kW Underbench	MTO
4546MPW	PC Medium Pressure 45L 460×560H 2kW Triple	MTO
6546MPW	PC Medium Pressure 65L 460×750H 2kW Triple	MTO
9046MPW	PC Medium Pressure 90L 460×1000H 2kW Triple	MTO
9054MPW	PC Medium Pressure 90L 540×730H 2kW Triple	MTO
13546MPW	PC Medium Pressure 135L 460×1470H 2kW Triple	MTO
13548MPW	PC Medium Pressure 135L 480×1310H 2kW Triple	MTO
13551MPW	PC Medium Pressure 135L 510×1140H 2kW Triple	MTO
13554MPW	PC Medium Pressure 135L 540×1045H 2kW Triple	MTO
18047MPW	PC Medium Pressure 180L 470×1900H 3kW Triple	MTO
18049MPW	PC Medium Pressure 180L 490×1670H 3kW Triple	MTO

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION	STATUS
Medium Pressure Copper - MADE TO ORDER MODELS (continued)		
18051MPW	PC Medium Pressure 180L 510×1520H 3kW Triple	MTO
18054MPW	PC Medium Pressure 180L 540×1360H 3kW Triple	MTO
18056MPW	PC Medium Pressure 180L 560×1220H 3kW Triple	MTO
18061MPW	PC Medium Pressure 180L 610×1030H 3kW Triple	MTO
22551MPW	PC Medium Pressure 225L 510×1900H 3kW Triple	MTO
22554MPW	PC Medium Pressure 225L 540×1640H 3kW Triple	MTO
22556MPW	PC Medium Pressure 225L 560×1550H 3kW Triple	MTO
22561MPW	PC Medium Pressure 225L 610×1260H 3kW Triple	MTO
27054MPW	PC Medium Pressure 270L 540×1980H 3kW Triple	MTO
27056MPW	PC Medium Pressure 270L 560×1800H 3kW Triple	MTO
27061MPW	PC Medium Pressure 270L 610×1490H 3kW Triple	MTO
27070MPW	PC Medium Pressure 270L 700×1100H 3kW Triple	MTO
30070MPW	PC Medium Pressure 300L 700×1220H 3kW Triple	MTO
36061MPW	PC Medium Pressure 360L 610×1900H 3kW Triple	MTO
36070MPW	PC Medium Pressure 360L 700×1490H 3kW Triple	MTO
45070MPW	PC Medium Pressure 450L 700×1900H 3kW Triple	MTO

Full range of customised cylinders are available between 45 – 600 Litres. If the required size/model is not found in this booklet, please contact a Peter Cocks Sales Representative for a quote.

Chillinder

PCCH40	PC Chillinder 40L 460×500H	MTO
--------	----------------------------	-----

DAIRY

Dairy Low Pressure Copper - MADE TO ORDER MODELS

18061D	PC Dairy 180L 610×1300H 3kW	MTO
20061D	PC Dairy 200L 610×1400H 3kW	MTO
22561D	PC Dairy 225L 610×1530H 3kW	MTO
27061D	PC Dairy 270L 610×1780H 3kW	MTO
27071D	PC Dairy 270L 700×1950H 3kW	MTO
30061D	PC Dairy 300L 610×1900H 3kW	MTO
35061D	PC Dairy 350L 610×2170H 2×3kW	MTO
35071D	PC Dairy 350L 710×1750H 2×3kW	MTO
35080D	PC Dairy 350L 800×1320H 2×3kW	MTO
40071D	PC Dairy 400L 710×1950H 2×3kW	MTO
40080D	PC Dairy 400L 800×1510H 2×3kW	MTO
45071D	PC Dairy 450L 710×2150H 2×3kW	MTO
45080D	PC Dairy 450L 800×1640H 2×3kW	MTO
50080D	PC Dairy 500L 800×1760H 2×3kW	MTO
55080D	PC Dairy 550L 800×1900H 2×3kW	MTO
60080D	PC Dairy 600L 800×2040H 2×3kW	MTO

ACCESSORIES

Elements & Thermostats

319099	PC Element Incoloy 1kW
319100	PC Element Incoloy 2kW
319101	PC Element Incoloy 3kW
320165	PC Element Incoloy 5kW
319105	PC Element Incoloy 6kW (2×3kW)
319127	PC Element Titanium 2kW
319128	PC Element Titanium LWD 2kW
319129	PC Element Titanium 3kW

KEY: **MTS** = MADE TO STOCK **MTO** = MADE TO ORDER **CUST** = CUSTOM

NB: FOR MAXIMUM WORKING PRESSURE PLEASE REFER TO RATING LABEL ON THE CYLINDER.

SKU	PRODUCT DESCRIPTION	STATUS
Elements & Thermostats (continued)		
319130	PC Element Titanium LWD 3kW	
417036	PC Booster Element Kit Titanium 3kW (Mains Pressure Stainless Steel)	
411020	PC Thermostat Valve Vented 11" Rod	
411021	PC Thermostat Open Vented 11" Rod	
052016	PC Thermostat 60-80 R/S ST1205134	
411018	PC Thermostat 50/100 Dairy	
09002	PC Thermostat 50-70 S/Shot OTC R/S ST1301133	
317312	Thermostat R/S ST1001130 70°C SGL Pole	
317659	Thermostat R/S ST1006250 95°C SGL Pole	
Drip Trays		
417019	PC Galvanised Drip Tray 660mm Diameter	
417020	PC Galvanised Drip Tray 800mm Diameter	
417030	PC Galvanised Drip Tray Custom (Up to 1100mm Width)	
Valves		
415018	PC 20mm Valve Econopack	
415014	PC Solar Combo 20mm Valve Pack	
Misc.		
412012	PC FS Oetiker (Site Tube) Clip 9-11mm	
413001	PC Element Cover (Galvanised)	
415506	PC Temp Gauge Stainless Steel Baumer	
415507	PC Temp Gauge Holder Stainless Steel Baumer	
417004	PC 25mm Copper Bend Dairy Overflow	
417011	PC Dairy Sight Tube Assembly	
417012	PC Dairy Sight Tube Assembly with Temp Gauge	





PETER COCKS FACTORY IN CHRISTCHURCH IN CA.1990

PETER COCKS DOMESTIC WARRANTY CHART

		TANK (TANK REPLACEMENT ONLY, NO LABOUR)	TANK LABOUR	PARTS & LABOUR
MAINS PRESSURE				
	STAINLESS STEEL	10	3*	1
	STAINLESS STEEL COIL	10	3*	1
	CUSTOM	5	1	1
LOW PRESSURE				
	STAINLESS STEEL	10	3*	1
	STAINLESS STEEL WETBACK	10	3*	1
	COPPER	5	1	1
	COPPER WETBACK	5	1	1
	COPPER COIL	5	1	1
	JUMBO	5	1	1
MEDIUM PRESSURE	COPPER	5	1	1
DAIRY	LOW PRESSURE	5	1	1

* Cylinders manufactured prior to 1st October 2017 have a 1-year warranty on tank labour.

All warranties listed in this reference guide are for single family premises in a domestic application. For full warranty conditions please refer to the Peter Cocks installation guide, or go to www.petercocks.co.nz/warranty

PETER COCKS MODEL CODE LEGEND

LP 180 56 STD 3

1 2 3 4 5

1
KEY:
LP = Low Pressure
MP = Mains Pressure
SS = Stainless Steel
LP = LPSS
SP = Special (Custom) LP Copper
(If model starts with a number, this field is not applicable)

2
xx/xxx/xxxx = Overall Volume in L

3
xx = Overall Diameter in cm
(For 800L+ Dairy's, 10 refers to 102cm not 10cm. = 200L+ MP S.S. exclude this field)

4
DSP = Electric + Wetback (LP Copper)
ESP = Electric (LP Copper)
D = Dairy (LP Copper)
US = Electric Under Sink (LP Copper)
UMPW = Electric Medium Pressure Unadersink (Copper)
MPW = Electric Medium Pressure (Copper)
CM = Cistern Model (Header Tank) (LP Copper)
HP = Jumbo (MP Copper Coil + LP Copper Cylinder)
CUS = Custom
STD = Electric
SDB = Electric + Direct Solar (MPSS)
SCB = Electric + Coil (Solar) + Direct Solar
STB = Electric + Coil (Wetback) + Direct Solar
STCB = Electric + Twin Coil (Wetback & Solar) (MPSS)

5
L = Left entry/exit version for coil/auxiliary port(s)
R = Right entry/exit version for coil/auxiliary port(s)
OD = Outdoor upgrade for custom models
3 = 3kW (Only for models with 2kW AND 3kW element options)

MTS = Made to Stock Items

MTO = Made to Order

Peter Cocks can manufacture these items after receiving a valid purchase order. No custom form required.

CUST = Custom Made Order

Completed Custom Made Order Form is required to manufacture models that aren't listed as a MTS or MTO product in this booklet. To download this form go to www.petercocks.co.nz/pdfs

Delivery times for the above items are dependent on availability. Please contact the Peter Cocks Customer Service team on (03) 384 1360 to confirm delivery dates.



114 Maces Rd • Christchurch 8062
P: (03) 384 1360 • F: (03) 384 5903
E: info@petercocks.co.nz

www.petercocks.co.nz